



Cool Comfort, Fresh Breeze

Bringing Refreshing Solutions  
to your every need

MASTER CATALOGUE

# AIR COOLERS

Room | Personal | Tower | Desert | Commercial | Industrial



## Bringing Cool Comfort to Every Space

Our Company **Rishika Industries Limited** has 15 years of Experience into Packaging, Plastic Thermoforming, Engineering plastic products. We have **5 Factories** in Western INDIA. Our Manufacturing Facilities are fully equipped with In-House Moulding, Assembly, Testing Laboratory, R&D centre with an Experienced Team of Engineers & Technicians.

## Our Expertise

Wide Range of **40+ Models** in Air Coolers to meet your Cooling requirements



**Room  
Coolers**



**Personal  
Coolers**



**Tower  
Coolers**



**Desert  
Coolers**




**Commercial  
Coolers**



**Industrial  
Coolers**

## Features & Benefits

**MANGO** is committed to Produce Elegant Quality products. Our Air Coolers offer **Smart Cooling Options** with **Electronic controls** like *Feather touch functions*, *Water Alarm*, *12h Timer* & *Remote with H2C Honey comb pads*. All Models comply with International norms **CE, SABER** etc.



## Our Growth

We have Pan INDIA Network of Distributors and Retailers with an expanding service Network. We have also successfully ventured into the International Markets of **Asia, Middle East & Indian sub-continent**

**We believe in Consistent Growth of All our Stakeholders, including our Trade Partners, Distributors & Associates.**



Cool Comfort, Just for You...

# ROOM COOLERS

PUNCH SERIES

[MangoAppliances.com](http://MangoAppliances.com)

PUNCH 20

PUNCH 40

PUNCH 60

Mango®



SUITABLE  
FOR UP TO  
**235**  
SQ.FT. AREA



Air  
Delivery  
**2000**  
M³/HR



COOLING  
MEDIUM  
**HONEY COMB**  
PADS



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY

ROOM COOLER



Cool Memories  
Together

Mango®




PUNCH 20i


PUNCH 40i

PUNCH 60i

Mango®



SUITABLE  
FOR UP TO  
**235**  
SQ.FT. AREA



Air  
Delivery  
**2000**  
M³/HR



COOLING  
MEDIUM  
**HONEY COMB**  
PADS



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



EMPTY TANK  
ALARM



SENSOR TOUCH  
DIGITAL CONTROL  
PANEL



INTELLIGENT  
REMOTE



12h TIMER



BLUE COOLING  
PADS (OPTIONAL)



2 YEAR  
WARRANTY

ROOM COOLER

Cherishing  
Cool Moments

Mango®



NEXON 20


NEXON 40

NEXON 60

Mango®



SUITABLE  
FOR UP TO  
**235**  
SQ.FT. AREA



Air  
Delivery  
**2000**  
M³/HR



COOLING  
MEDIUM  
**HONEY COMB**  
PADS



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



BLUE COOLING  
PADS (OPTIONAL)




DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY



Cool Comfort, Just for You...

# PERSONAL COOLERS

ARCTIC PC • COOL MASTER • THUNDER PLUS

**Mango**®



ARCTIC PC - 20

ARCTIC PC - 37

ARCTIC PC - 55

Mango®



SUITABLE  
FOR UP TO

125

SQ.FT. AREA



Air  
Delivery

1100

M³/HR



COOLING  
MEDIUM

HONEY COMB

## PERSONAL COOLER



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN



2 YEAR  
WARRANTY

The Perfect  
Atmosphere

**Mango**<sup>®</sup>



COOL MASTER 25

THUNDER PLUS 35

Mango®



SUITABLE FOR

160

SQ.FT. AREA



Air Delivery

1400

M³/HR



COOLING MEDIUM

HONEY COMB  
PADS



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY



25



35

Productivity  
Meets **Comfort**




COOL MASTER 25i

THUNDER PLUS 35i

Mango®



SUITABLE FOR  
**160**  
SQ.FT. AREA



Air Delivery  
**1400**  
M³/HR



COOLING MEDIUM  
**HONEY COMB**  
PADS

2 YEAR  
WARRANTY

PERSONAL  
COOLER



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



EMPTY TANK  
ALARM



SENSOR TOUCH  
DIGITAL CONTROL  
PANEL



INTELLIGENT  
REMOTE



12h TIMER



BLUE COOLING  
PADS (OPTIONAL)





Cool Comfort, Just for You...

# TOWER COOLERS

ARCTIC TC

[MangoAppliances.com](http://MangoAppliances.com)

ARCTIC TC 15

ARCTIC TC 25

ARCTIC TC 40



SUITABLE FOR

**150**

SQ.FT. AREA



Air Delivery

**1400**

M<sup>3</sup>/HR



COOLING MEDIUM

HONEY COMB  
PADS

TOWER  
COOLER



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN



2 YEAR  
WARRANTY



## MAGNUM TF



SUITABLE  
FOR  
**125**  
SQ.FT. AREA



Air  
Delivery  
**1200**  
M<sup>3</sup>/HR




POWERFUL AIR  
THROW WITH  
AUTO-SWING




SILENT  
PERFORMANCE



WORKS ON  
INVERTER



## CHOTA BHEEM 18

 SUITABLE FOR  
**160**  
 SQ.FT. AREA

 Air Delivery  
**1400**  
 M<sup>3</sup>/HR

 COOLING MEDIUM  
**HONEY COMB**  
 PADS

## CHOTA BHEEM 25

-  PUMP PROTECTION TECHNOLOGY
-  SILENT PERFORMANCE
-  POWERFUL AIR THROW WITH AUTO-SWING
-  LARGE TANK CAPACITY
-  HIGH EFFICIENCY COOLING PADS
-  WORKS ON INVERTER
-  CASTOR WHEELS
-  BLUE COOLING PADS (OPTIONAL)
-  DYNAMIC COOLING
-  PATENTED REGISTERED DESIGN

**2 YEAR**  
 WARRANTY



# Garden Cooling with Mango

**Mango**<sup>®</sup>




## GLACIAL 55

## GLACIAL DELUXE 75



SUITABLE FOR

**385**  
SQ.FT. AREA



Air Delivery

**3300**  
M<sup>3</sup>/HR



COOLING MEDIUM

HONEY COMB  
PADS



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY



Cool Breeze  
Anywhere

Mango®



## WINTRY 55

## WINTRY DELUXE 75



SUITABLE FOR

**385**  
SQ.FT. AREA



Air Delivery

**3300**  
M<sup>3</sup>/HR



COOLING MEDIUM

**HONEY COMB**  
PADS



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY

DESERT  
COOLER



Enjoying  
Togetherness

Mango®



## NEW GLACIAL 55

## NEW GLACIAL DELUXE 85



DESERT  
COOLER



SUITABLE  
FOR

**385**

SQ.FT. AREA



Air  
Delivery

**3300**

M<sup>3</sup>/HR



COOLING  
MEDIUM

PADS

**HONEY COMB**



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



BLUE COOLING  
PADS (OPTIONAL)




DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY



Enjoying  
Togetherness

Mango®




## NEW GLACIAL 55-GT

## NEW GLACIAL DELUXE 85-GT



DESERT  
COOLER



SUITABLE  
FOR

**385**  
SQ.FT. AREA



Air  
Delivery

**3300**  
M<sup>3</sup>/HR



COOLING  
MEDIUM

**HONEY COMB**  
PADS



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY



Enjoying  
Togetherness

Mango®




## NEW WINTRY 55

## NEW WINTRY DELUXE 85



DESERT  
COOLER



SUITABLE  
FOR

**385**

SQ.FT. AREA



Air  
Delivery

**3300**

M<sup>3</sup>/HR



COOLING  
MEDIUM

HONEY COMB  
PADS



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY



Enjoying  
Togetherness

**Mango®**




## NEW WINTRY 55-GT

## NEW WINTRY DELUXE 85-GT



DESERT  
COOLER



SUITABLE  
FOR

**385**

SQ.FT. AREA



Air  
Delivery

**3300**

M<sup>3</sup>/HR



COOLING  
MEDIUM

HONEY COMB  
PADS



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY



Enjoying  
Togetherness


Mango®



## NEW WINTRY 55i


## NEW WINTRY DELUXE 85i

**Mango®**



SUITABLE FOR

**385**  
SQ.FT. AREA



Air Delivery

**3300**  
M³/HR



COOLING MEDIUM

**HONEY COMB**  
PADS



PUMP PROTECTION  
TECHNOLOGY




SILENT  
PERFORMANCE



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



CASTOR WHEELS



EMPTY TANK  
ALARM



SENSOR TOUCH  
DIGITAL CONTROL  
PANEL



INTELLIGENT  
REMOTE



12h TIMER



BLUE COOLING  
PADS (OPTIONAL)



DESERT  
COOLER

2 YEAR  
WARRANTY

Enjoying  
Togetherness

Mango®



## NEW WINTRY 55i-GT

## NEW WINTRY DELUXE 85i-GT



2 YEAR  
WARRANTY

## DESERT COOLER




Cool Comfort  
with Family

Mango®



## ARCTIC DC-50

## ARCTIC DC-70



SUITABLE FOR

**360**

SQ.FT. AREA



Air Delivery

**3100**

M<sup>3</sup>/HR



COOLING MEDIUM

**HONEY COMB**

PADS



PUMP PROTECTION TECHNOLOGY



SILENT PERFORMANCE



POWERFUL AIR THROW WITH AUTO-SWING



LARGE TANK CAPACITY



HIGH EFFICIENCY COOLING PADS



WORKS ON INVERTER



CASTOR WHEELS



BLUE COOLING PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED REGISTERED DESIGN

**2 YEAR WARRANTY**



Your Oasis of  
Cool Comfort

Mango®



Creating  
Moments Together

Cool Comfort, Just for You...

## Commercial Coolers

BHARAT ARMY • ARMY COOL  
ARMY FORCE • VAAYU • NAVY COOL

[MangoAppliances.com](https://MangoAppliances.com)

BHARAT ARMY 110-C

BHARAT ARMY 110-G

Mango®



SUITABLE FOR

**405**

SQ.FT. AREA



Air Delivery

**3450**

M³/HR



COOLING MEDIUM

**HONEY COMB**

PADS



PUMP PROTECTION TECHNOLOGY



SILENT PERFORMANCE



POWERFUL AIR THROW WITH AUTO-SWING



LARGE TANK CAPACITY



HIGH EFFICIENCY COOLING PADS



WORKS ON INVERTER



LOCKABLE HEAVY DUTY CASTOR WHEELS



BLUE COOLING PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED REGISTERED DESIGN

2 YEAR WARRANTY

## Collapsible Louvers



COMMERCIAL COOLER

Grill




Relaxation starts with the  
*perfect breeze*



ARMY COOL 120

ARMY COOL 120i-BLDC



SUITABLE FOR

**565**

SQ.FT. AREA



Air Delivery

**4800**

M<sup>3</sup>/HR



COOLING MEDIUM

**HONEY COMB**



PUMP PROTECTION TECHNOLOGY



SILENT PERFORMANCE



POWERFUL AIR THROW WITH AUTO-SWING



LARGE TANK CAPACITY



HIGH EFFICIENCY COOLING PADS



WORKS ON INVERTER



LOCKABLE HEAVY DUTY CASTOR WHEELS



BLUE COOLING PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED REGISTERED DESIGN

2 YEAR WARRANTY

COMMERCIAL COOLER



**Mango**<sup>®</sup>



Where coolness  
meets calm



ARMY FORCE 120-C

ARMY FORCE 120-G

Mango®



SUITABLE FOR

**565**

SQ.FT. AREA



Air Delivery

**4800**

M³/HR



COOLING MEDIUM

**HONEY COMB**  
PADS



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



LOCKABLE HEAVY  
DUTY CASTOR  
WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY

## Collapsible Louvers



Cool comfort for your  
*peaceful moments*



VAAYU 150

NAVY COOL 150

Mango®



SUITABLE FOR

1880  
SQ.FT. AREA



Air Delivery

16000  
M³/HR



COOLING MEDIUM  
PADS

HONEY COMB



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



LOCKABLE HEAVY  
DUTY CASTOR  
WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING




PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY



Enjoying  
Togetherness

Mango®



MAX 8D 100

MAX 8D 130

# COMMERCIAL COOLER



SUITABLE FOR

**1000**

SQ.FT. AREA



Air Delivery

**8500**

M<sup>3</sup>/HR



COOLING MEDIUM

HONEY COMB  
PADS



PUMP PROTECTION  
TECHNOLOGY



SILENT  
PERFORMANCE



POWERFUL AIR  
THROW WITH  
AUTO-SWING



LARGE TANK  
CAPACITY



HIGH EFFICIENCY  
COOLING PADS



WORKS ON  
INVERTER



LOCKABLE HEAVY  
DUTY CASTOR  
WHEELS



BLUE COOLING  
PADS (OPTIONAL)



DYNAMIC COOLING



PATENTED  
REGISTERED  
DESIGN

2 YEAR  
WARRANTY



Enjoying  
Togetherness

Mango®



# WASHING MACHINES

WASHING MACHINE 7 Kgs

WASHING MACHINE 9.5 Kgs

Mango®

# WASHING MACHINES



**WARM & RELAXING**

Showers with Mango Geyser



# GEYSER'S

- Available in 1L/3L/5L
- Power-3kw(1,3,5L) , 4.5kw (1,3L)
- Voltage-230V/50HZ single phase
- Max pressure rating- 6.5 bar
- Rust free Stainless steel Tank
- High glossy and Long life engineering plastic body



Stem-type thermostat:  
Automatic temperature control.



Faster heating:  
Get hot water in no time.



Suitable for high -  
rise building.



Rust proof: Rust proof outer  
body prevents corrosion  
& leaving no room for rust.



3 Level safety from high  
temperature & high pressure.



Thermal stability device:  
This double-function feature  
connected to the thermostat  
enables energy savings,  
comfort, and safety.



The high-power heating:  
Elements ensures you  
get hot water in no time.



Design in Italy.



INSPIRED  
IN  
ITALY

Inspired in Italy



Prevents corrosion  
from hard water



100% copper & ISI  
marked heating Element



## Warranty

- 5 Year's On Tank
- 2 Year's On Heating Element
- 2 Year's On Product

# TECHNICAL SPECIFICATION



Air Cooler Category	ROOM	ROOM	ROOM	PERSONAL	PERSONAL	PERSONAL	PERSONAL	PERSONAL	TOWER
Model	PUNCH 20/40/60	PUNCH 20/40/60i	Nexon 20/40/60	Arctic PC 20/37/55	Cool Master 20	Thunder Plus 35	Cool Master 20i	Thunder Plus 35i	Arctic TC 15/25/40
Model No.	PUK20/40/60	PUR20/40/60	NXK20/40/60	APK20/37/55	CMK25	TPK35	CMR25	TPR35	ATK15/25/40
For Area upto (Sq.ft)	235	235	235	125	160	160	160	160	160
Air Throw Distance (Ft)	35	35	35	30	30	30	30	30	35
Blower/Fan	FAN	FAN	FAN	Blower	Blower	Blower	Blower	Blower	Blower
Blower/Fan Diameter (inch)	12	12	12	8	8	8	8	8	7
Speed Control	Three								
Motor RPM.	2600	2600	2600	1300	1350	1350	1350	1350	1350
Air Delivery (m <sup>3</sup> /hr.)	2000	2000	2000	1100	1400	1400	1400	1400	1400
Wattage (W) (230V/50HZ)	120	120	120	150	150	150	150	150	150
Max Current (Amp.) (230V/50HZ)(Max.)	1.0 Amp								
Pump Thermal Overload Protection	Yes								
Tank Capacity	18 / 35 / 60	18 / 35 / 60	18 / 35 / 60	18 / 35 / 60	22	35	22	35	12 / 20 / 35
Remote Control	No	Yes	No	No	No	No	Yes	Yes	No
LCD Display	No	Yes	No	No	No	No	Yes	Yes	No
Timer	No	Yes	No	No	No	No	Yes	Yes	No
Water Saver	No	Yes	No	No	No	No	Yes	Yes	No
Empty Tank Alarm	No	Yes	No	No	No	No	Yes	Yes	No
Louvers Movement	Motorised								
Ice Chamber / Water Inlet Door	Yes								
Castors / Trolley	Castors								
Mosquito Net / Dust filter	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
Cooling Media	H <sub>2</sub> C Honeycomb								
Water Level Indicator	Yes								
Drain Plug	Yes								
Works on Invetor	Yes								
Motor Type	AC 220~240 V								
Product Length (mm)	480	480	480	465	418	418	418	418	300 / 300 / 315
Product Width (mm)	340	340	340	310	280	280	280	280	315 / 315 / 330
Product Height With / Without Castors (mm)	869 / 1019 / 1250	869 / 1019 / 1250	869 / 1019 / 1250	655 / 805 / 1060	825	985	825	985	785 / 870 / 1080
Net Weight (Kg) (Approx)	8.5 / 9.2 / 10.4	8.5 / 9.2 / 10.4	8.5 / 9.2 / 10.4	8.0 / 8.5 / 9.0	8.0	9.0	8.0	9.0	8.0 / 8.3 / 9.2
Gross Weight (Kg) (Approx)	10.0 / 10.8 / 13.0	10.0 / 10.8 / 13.0	10.0 / 10.8 / 13.0	10.0 / 10.5 / 11.2	9.5	10.8	9.5	10.8	9.5 / 9.9 / 11.3
Loading (40 HQ)	360 / 290 / 250	360 / 290 / 250	360 / 290 / 250	410 / 360 / 276	380	350	380	350	620 / 490 / 430
Reference Page No's.	5	7	9	11	13	13	15	15	17

# TECHNICAL SPECIFICATION

Air Cooler Category	TOWER FAN	PERSONAL	DESERT						
Model	Magnum TF	Chota Bheem 18/25	Glacial 55	Glacial Deluxe 75	Wintry 55	Wintry Deluxe 75	New Glacial 55	New Glacial Deluxe 85	New Glacial 55-GT
Model No.	MTF01	CBK18/25	GLK55	GDK75	WK55	WDK75	NGK55	NGK85	NGK55-GT
For Area upto (Sq.ft)	140	160	385	385	385	385	385	385	385
Air Throw Distance (Ft)	20	20	55	55	55	55	55	55	55
Blower/Fan	Blower	Fan							
Blower/Fan Diameter (inch)	6	9	16	16	16	16	16	16	16
Speed Control	Three								
Motor RPM.	1350	2600	1350	1350	1350	1350	1350	1350	1350
Air Delivery (m <sup>3</sup> /hr.)	1200	1400	3300	3300	3300	3300	3300	3300	3300
Wattage (W) (230V/50HZ)	130	80	200	200	200	200	200	200	200
Max Current (Amp.)(230V/50HZ)(Max.)	0.5 Amp	0.5 Amp	1.5 Amp						
Pump Thermal Overload Protection	N/A	Yes							
Tank Capacity	N/A	12	50	80	50	80	50	80	50
Remote Control	No								
LCD Display	No								
Timer	No								
Water Saver	No								
Empty Tank Alarm	No								
Louvres Movement	Motorised								
Ice Chamber / Water Inlet Door	No	No	Yes						
Castors / Trolley	No	Castors							
Mosquito Net / Dust filter	No								
Cooling Media	H <sub>2</sub> C Honeycomb								
Water Level Indicator	No	Yes							
Drain Plug	No	Yes							
Works on Invetor	Yes								
Motor Type	AC 220~240 V								
Product Length (mm)	325	380 /380	600	600	600	600	600	600	600
Product Width (mm)	250	305 / 305	430	430	430	430	430	430	430
Product Height With / Without Castors (mm)	750	660 / 920	1100	1275	1100	1275	1100	1275	1100
Net Weight (Kg) (Approx)	5.5	7.5	13.0	15.0	13.0	15.0	13.0	15.0	13.0
Gross Weight (Kg) (Approx)	7.0	8.7	15.5	18.0	15.5	18.0	15.5	18.0	15.5
Loading (40 HQ)	800		210	180	210	180	210	180	210
Reference Page No's.	18	19	21	21	23	23	25	25	27

# TECHNICAL SPECIFICATION



Air Cooler Category	DESERT								
Model	New Glacial Deluxe 85-GT	New Wintry 55	New Wintry Deluxe 85	New Wintry 55-GT	New Wintry Deluxe 85-GT	New Wintry 55i	New Wintry Deluxe 85i	New Wintry 55i-GT	New Wintry Deluxe 85i-GT
Model No.	NGK85-GT	NWK55	NWK85	NWK55-GT	NWK85-GT	NWR55	NWR85	NWR55-GT	NWR85-GT
For Area upto (Sq.ft)	385	385	385	385	385	385	385	385	385
Air Throw Distance (Ft)	55	55	55	55	55	55	55	55	55
Blower/Fan	Fan								
Blower/Fan Diameter (inch)	16	16	16	16	16	16	16	16	16
Speed Control	Three								
Motor RPM.	1350	1350	1350	1350	1350	1350	1350	1350	1350
Air Delivery (m <sup>3</sup> /hr.)	3300	3300	3300	3300	3300	3300	3300	3300	3300
Wattage (W) (230V/50HZ)	200	200	200	200	200	200	200	200	200
Max Current (Amp.)(230V/50HZ)(Max.)	1.5 Amp								
Pump Thermal Overload Protection	Yes								
Tank Capacity	80	50	80	50	80	50	80	50	80
Remote Control	No	No	No	No	No	Yes	Yes	Yes	Yes
LCD Display	No	No	No	No	No	Yes	Yes	Yes	Yes
Timer	No	No	No	No	No	Yes	Yes	Yes	Yes
Water Saver	No	No	No	No	No	Yes	Yes	Yes	Yes
Empty Tank Alarm	No	No	No	No	No	Yes	Yes	Yes	Yes
Louvers Movement	Motorised								
Ice Chamber / Water Inlet Door	Yes								
Castors / Trolley	Castors								
Mosquito Net / Dust filter	No								
Cooling Media	H <sub>2</sub> C Honeycomb								
Water Level Indicator	Yes								
Drain Plug	Yes								
Works on Invetor	Yes								
Motor Type	AC 220~240 V								
Product Length (mm)	600	600	600	600	600	600	600	600	600
Product Width (mm)	430	430	430	430	430	430	430	430	430
Product Height With / Without Castors (mm)	1275	1100	1275	1100	1275	1100	1275	1100	1275
Net Weight (Kg) (Approx)	15.0	13.0	15.0	13.0	15.0	13.0	15.0	13.0	15.0
Gross Weight (Kg) (Approx)	18.0	15.5	18.0	15.5	18.0	15.5	18.0	15.5	18.0
Loading (40 HQ)	180	210	180	210	180	210	180	210	180
Reference Page No's.	27	29	29	31	31	33	33	35	35

# TECHNICAL SPECIFICATION

Air Cooler Category	DESERT	DESERT	COMMERCIAL	COMMERCIAL	COMMERCIAL	COMMERCIAL	INDUSTRIAL	INDUSTRIAL	COMMERCIAL
Model	Arctic DC 50	Arctic DC 70	Bharat Army 110-C / 110-G	Army Cool 120	Army Cool 120i-BLDC	Army Force 120-C / 120-G	Vaayu 150	Navy Cool 150	Max 8D 100/130
Model No.	ADK50	ADK70	BAK100C/G	ACK120	ACR120	AFK120C/G	VAK150	NCK150	MDK100/130
For Area upto (Sq.ft)	360	360	405	565	565	565	1880	1880	1000
Air Throw Distance (Ft)	55	55	65	65	65	65	80	80	65
Blower/Fan	Fan								
Blower/Fan Diameter (inch)	16	16	18	18	18	21	28	28	28
Speed Control	Three								
Motor RPM.	1350	1350	1350	1350	1350	1350	1150	1150	1350
Air Delivery (m <sup>3</sup> /hr.)	3100	3100	3450	4800	4800	4800	16000	16000	8500
Wattage (W) (230V/50HZ)	200	200	260	375	180	375	650	650	375
Max Current (Amp.) (230V/50HZ)(Max.)	1.5 Amp	1.5 Amp	1.5 Amp	2.0 Amp	1.5 Amp	2.0 Amp	3.0 Amp	3.0 Amp	2.0 Amp
Pump Thermal Overload Protection	Yes								
Tank Capacity	50	70	110	110	110	110	150	150	
Remote Control	No	No	No	No	Yes	No	No	No	No
LCD Display	No	No	No	No	Yes	No	No	No	No
Timer	No	No	No	No	Yes	No	No	No	No
Water Saver	No	No	No	No	Yes	No	No	No	No
Empty Tank Alarm	No	No	No	No	Yes	No	No	No	No
Louvers Movement	Motorised	No	No						
Ice Chamber / Water Inlet Door	Yes								
Castors / Trolley	Castors								
Mosquito Net / Dust filter	No								
Cooling Media	H <sub>2</sub> C Honeycomb								
Water Level Indicator	Yes								
Drain Plug	Yes								
Works on Invetor	Yes								
Motor Type	AC 220~240 V								
Product Length (mm)	595	595	700	830	830	830	1030	1030	685 / 685
Product Width (mm)	455	455	505	600	600	525	630	630	685 / 685
Product Height With / Without Castors (mm)	984	1055	1450	1510	1510	1480	1800	1800	1500 / 1550
Net Weight (Kg) (Approx)	13.5	14.0	19.0	24.0	24.0	23.3	40.0	39.0	
Gross Weight (Kg) (Approx)	17.0	17.5	25.0	30.0	30.0	26.5	-	-	
Loading (40 HQ)	195	175	75	75	75	75			
Reference Page No's.	37	37	39	41	41	43	45	45	47



WEBSITE



INSTAGRAM



DIGITAL  
CATALOUE

## RISHIKA INDUSTRIES LIMITED

### PLANT-1

Plot No. 1816, Bhilad Nargol Road, Manda, Umbergaon  
Dist - Valsad, Gujarat - 396155, IN.

### PLANT-2

Plot No. 1817, Bhilad Nargol Road, Manda, Umbergaon  
Dist - Valsad, Gujarat - 396155, IN.

### PLANT-3

Khasra No. 1598/1426 & 1427/369, Syao Dholblai, Jaipur Rural,  
Dist - Jaipur, Rajasthan - 303712, IN.

## MANGO APPLIANCES LLP

### PLANT-1

Plot No 20-21, Bhilad Laghu Audhyogik Sahakari Mandali Limited,  
Dist - Valsad, Gujarat - 396155, IN.

### PLANT-2

Plot No 13, Bhilad Laghu Audhyogik Sahakari Mandali Limited,  
Dist - Valsad, Gujarat - 396155, IN.

Toll Free  
1800 1200 670

+91 88 04 04 88 11 / 22

info@mangoappliances.com

For Exports  
international@mangoappliances.com

www.MangoAppliances.com @mango.india

