Mango®

Cool Comfort, Fresh Breeze

Bringing Refreshing Solutions
to your every need



MASTER CATALOGUE



Mango®

Bringing **Cool Comfort** to Every Space

Our Company **Rishika Industries Ltd**. has 15 years of Experience into Packaging, Plastic Thermoforming, Engineering plastic products. We have **3 Factories** in Western INDIA. Our Manufacturing Facilities are fully equipped In-House Moulding, Assembly, Testing Laboratory, R&D centre with an Experienced Team of Engineers & Technicians.

Our **Expertise**

Wide Range of **30+ Models** in Air Coolers to meet your Cooling requirements

- **Room** Coolers
- **Personal** Coolers
- **Tower** Coolers
- **Desert** Coolers

www.mangoappliances.com

Features & Benefits

MANGO is committed to Produce Elegant Quality products. Our Air Coolers offer **Smart Cooling** Options with **Electronic controls** like *Feather touch functions, Water Alarm, 12h Timer & Remote with **H2C** Honey comb pads.* All Models comply with International norms **CE, SABER** etc.



MOTORISED LOUVERS FEATURES

PUMP PROTECTION TECHNOLOGY

SILENT PERFORMANCE

FULLY CLOSED LOOVERS

RUNS AT THE OPERATING COST OF FAN

WORKS ON INVERTER

USE IT OUTSIDE OR INSIDE

DELIVER FRESH AND COOL AIR



Our **Growth**

We have Pan INDIA Network of Distributors and Retailers with an expanding service Network. We have also successfully ventured into the International Markets of **Asia, Middle East & Indian sub-continent**

We belive in Consistent Growth of All our Stakeholders, including our Trade Partners & Distributors

Mango®



Cool Comfort, Just for You...

ROOM COOLERS

PUNCH SERIES

PUNCH 60 | PUNCH 60 i

Mango®

ROOM COOLER

FRESH ARRIVAL

SUITABLE FOR
375
SQ.FT. AREA

Air Delivery
3500
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS



- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Cool Memories
Together



PUNCH 40

PUNCH 40 i

ROOM COOLER

SUITABLE FOR
375
SQ.FT. AREA

Air Delivery
3500
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS



- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Cherishing
Cool Moments



PUNCH 20 | PUNCH 20 i

ROOM COOLER

SUITABLE FOR
375
SQ.FT. AREA

Air Delivery
3500
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- WORKS ON INVERTER
- HIGH EFFICIENCY COOLING PADS
- CASTOR WHEELS



- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Cool Comfort, Just for You...

PERSONAL COOLERS

ARCTIC PC • COOL MASTER • THUNDER PLUS



ARCTIC PC - 20 | ARCTIC PC - 40 | ARCTIC PC - 60

Mango®

PERSONAL COOLER

FRESH ARRIVAL

SUITABLE FOR
250
SQ.FT. AREA

Air Delivery
1400
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS







The **Perfect** Atmosphere



COOL MASTER

COOL MASTER i

PERSONAL COOLER

SUITABLE FOR
250
SQ.FT. AREA

Air Delivery
1400
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS



- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Mango®

Productivity
Meets **Comfort**



THUNDER PLUS | THUNDER PLUS i

PERSONAL COOLER

SUITABLE FOR
250
SQ.FT. AREA

Air Delivery
1400
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS



- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Mango®



Cool Comfort, Just for You...

TOWER COOLERS

ARCTIC TC

ARCTIC TC 15 | ARCTIC TC 25 | ARCTIC TC 40

Mango®

TOWER COOLER

SUITABLE FOR
250
SQ.FT. AREA

Air Delivery
1400
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS






MAGNUM TF

FRESH ARRIVAL

TOWER FAN



SUITABLE FOR
215
SQ.FT. AREA

Air Delivery
1200
M³/HR

- POWERFUL AIR THROW WITH AUTO-SWING
- SILENT PERFORMANCE
- WORKS ON INVERTER

MINI FASTER

TOWER COOLER FAN



SUITABLE FOR
215
SQ.FT. AREA

Air Delivery
1200
M³/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- WORKS ON INVERTER
- CASTOR WHEELS
- POWERFUL AIR THROW WITH AUTO-SWING

16 LTR WATER TANK



WINDOW 60

SUITABLE FOR
415
SQ.FT. AREA

Air Delivery
2350
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS




Mango®
ARMY COOL
Cool Comfort, Just for You...
DESERT
COOLERS
ARMY COOL • WINTRY DELUXE • WINTRY
GLACIAL DELUXE • GLACIAL • ARCTIC DC
Creating
Moments Together

ARMY COOL

DESERT COOLER

SUITABLE FOR
1300
SQ.FT. AREA

SUITABLE FOR
7300
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

FRESH ARRIVAL



Cool Breeze
Anywhere



WINTRY DELUXE

WINTRY DELUXE i

DESERT COOLER

SUITABLE FOR
900
SQ.FT. AREA

Air Delivery
4700
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS



- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER


Enjoy Your
Moments
Manga®

WINTRY

WINTRY i

DESERT COOLER

SUITABLE FOR
900
SQ.FT. AREA

Air Delivery
4700
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS



- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Garden Cooling
with Mango



GLACIAL DELUXE | GLACIAL DELUXE i

DESERT COOLER

SUITABLE FOR
900
SQ.FT. AREA

Air Delivery
4700
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS



- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Enjoying
Togetherness



GLACIAL

GLACIAL i

DESERT COOLER

SUITABLE FOR
900
SQ.FT. AREA

Air Delivery
4700
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS



- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Cool Comfort
with Family



ARCTIC DC-50

ARCTIC DC-70

DESERT COOLER

SUITABLE FOR
900
SQ.FT. AREA

Air Delivery
4700
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS






Evaporative
Air Cooler

Evaporative Air Cooling is the most efficient and Environment-friendly cooling technology which works on the **PRINCIPAL OF HEAT ABSORPTION** by water evaporation.

In the process,
COOL AIR is delivered from
MANGO Air Coolers.



Tailoring **Cooling Solutions** to Fit Your Needs

• Choose Right Tank Capacity •

Room Type	Small	Medium	Large	Extra Large
Size	150sqft	300sqft	600sqft	>1000sqft
Recommended Capacity	15ltr	25ltr	40-55 Ltr.	75-120 ltr

• Choose Right Cooler Type •

Features	Personal/Tower Cooler	Desert Cooler
Usage	Personal / Spot Cooling	Rooms, Outdoors, Terrace, Backyard
Room Size	Small-Mid Size Rooms	Medium-Large Rooms
Climate Condition	Humid Areas	Dry Areas
Ideal for Temp.	30-40 Degrees	35 - Above 50 Degrees

Manga®

TECHNICAL SPECIFICATION












Air Cooler Category	ROOM	ROOM	ROOM	ROOM	ROOM	ROOM	PERSONAL	PERSONAL	PERSONAL	PERSONAL
Model	**Punch 60 i**	**Punch 60**	**Punch 40 i**	**Punch 40**	**Punch 20 i**	**Punch 20**	**Artic PC 20**	**Artic PC 40**	**Artic PC 55**	**Cool Master i**
Model No	PUK55	PUK55	PUR40	PUK40	PUR20	PUK20	PCHK20	PCHK40	PCHK55	MHR25
For Area upto (Sq.m/Sq.ft)	35/375	35/375	35/375	35/375	35/375	35/375	25/250	25/250	25/250	25/250
Air Throw Distance (ft)	35	35	35	35	35	35	30	30	30	30
Blower/Fan	Fan	Fan	Fan	Fan	Fan	Fan	Blower	Blower	Blower	Blower
Blower/Fan Diameter (Inch)	12	12	12	12	12	12	9	9	9	8
Speed Control	Three	Three	Three	Three	Three	Three	Three	Three	Three	Three
Motor RPM.	2600	2600	2600	2600	2600	2600	1350	1350	1350	1350
Air Delivery (m3/hr.)	3500	3500	3500	3500	3500	3500	1400	1400	1400	1400
Wattage (W) (230v/50Hz)	105	105	105	105	105	105	135	135	135	130
Max Current (Amp) (230v/50Hz)	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp
Pump Thermal Overload Protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tank Capacity (Ltr.)	60 Ltr.	60 Ltr.	40 Ltr.	40 Ltr.	20 Ltr.	20 Ltr.	20 Ltr.	40 Ltr.	60 Ltr.	25 Ltr.
Remote Control	Yes	No	Yes	No	Yes	No	No	No	No	Yes
LCD Display	Yes	No	Yes	No	Yes	No	No	No	No	Yes
Timer	Yes	No	Yes	No	Yes	No	No	No	No	Yes
Water Saver	Yes	No	Yes	No	Yes	No	No	No	No	Yes
Louvers Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Ice Chamber/Water Inlet Door	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Castors/Trolley	Castors	Castors	Castors	Castors	Castors	Castors	Castors	Castors	Castors	Castors
Mosquito/Dust Filter	No	No	No	No	No	No	Yes	Yes	Yes	Yes
Empty Tank Alarm	Yes	No	Yes	No	Yes	No	No	No	No	Yes
Cooling Media (Honey Comb Pads)	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb
Water Level Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Drain Plug	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Work on Invertor	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Motor Type	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v
Product Length (mm)	480	480	460	460	460	460	465	465	480	418
Product Width (mm)	340	340	344	344	344	344	310	310	340	280
Product Height with / without Castors (mm)	1250	1250	1019	1019	869	869	655	805	1060	825
Net Weight (kg) Approx	10.4	10.4	9.2	9.2	8.5	8.5	8.0	8.5	9.0	8.0
Gross Weight (kg) Approx	13	13	10.8	10.8	10.7	10.7	10	10.5	11.2	9.5
Loading (40 HQ)	276	276	336	336	468	468	510	414	180	510

Manga®

TECHNICAL SPECIFICATION












Air Cooler Category	PERSONAL	PERSONAL	PERSONAL	TOWER	TOWER	TOWER	TOWER FAN	TOWER	DESERT	DESERT
Model	**Cool Master**	**Thunder Plus i**	**Thunder Plus**	**Arctic TC-15**	**Arctic TC-25**	**Arctic TC-40**	**Magnum TF**	**Mini Faster**	**Window 60**	**Army Cool 120**
Model No	MHK25	THR35	THK35	TCHK15	TCHK25	TCHK1540	MHK01	MHK16	WHK01	ACHK120
For Area upto (Sq.m/Sq.ft)	25/250	25/250	25/250	25/250	25/250	25/250	20/215	20/215	39/415	121/1300
Air Throw Distance (ft)	30	30	30	35	35	35	20	25	35	55
Blower/Fan	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Fan
Blower/Fan Diameter (Inch)	8	8	8	7	7	7	6	4	8	21
Speed Control	Three	Three	Three	Three	Three	Three	Three	Three	Three	Three
Motor RPM.	1350	1350	1350	1350	1350	1350	1350	2600	1350	1350
Air Delivery (m3/hr.)	1400	1400	1400	1400	1400	1400	1200	1200	2350	7300
Wattage (W) (230v/50Hz)	130	130	130	150	150	150	130	175	220	550
Max Current (Amp) (230v/50Hz)	0.5 Amp	0.5 Amp	0.5 Amp	0.6 Amp	0.6 Amp	0.6 Amp	0.5 Amp	0.75 Amp	1.0 Amp	2.5 Amp
Pump Thermal Overload Protection	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
Tank Capacity (Ltr.)	25 Ltr.	35 Ltr.	35 Ltr.	15 Ltr.	25 Ltr.	40 Ltr.	No Ltr.	16 Ltr.	60 Ltr.	120 Ltr.
Remote Control	No	Yes	No	No	No	No	No	No	No	No
LCD Display	No	Yes	No	No	No	No	No	No	No	No
Timer	No	Yes	No	No	No	No	No	No	No	No
Water Saver	No	Yes	No	No	No	No	No	No	No	No
Louvers Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Ice Chamber/Water Inlet Door	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
Castors/Trolley	Castors	Castors	Castors	Castors	Castors	Castors	No	Castors	Trolley	Castors
Mosquito/Dust Filter	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
Empty Tank Alarm	No	Yes	No	No	No	No	No	No	No	No
Cooling Media (Honey Comb Pads)	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	No	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb
Water Level Indicator	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
Drain Plug	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
Work on Invertor	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Motor Type	AC 220v~240v	AC 220v~240vC	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v
Product Length (mm)	418	418	418	300	300	300	325	250	675	830
Product Width (mm)	280	280	280	315	315	315	250	230	645	600
Product Height with Castors (mm)	825	985	985	785	870	1080	750	840	590	1510
Net Weight (kg) Approx	8.0	9.0	9.0	8.0	8.3	9.2	5.5	5.0	13.6	22.3
Gross Weight (kg) Approx	9.5	10.8	10.8	9.5	9.9	11.3	7.0	6.3	16.7	25.5
Loading (40 HQ)	510	395	395	672	532	518	840	735	201	75

Manga®

TECHNICAL SPECIFICATION



Air Cooler Category	DESERT	DESERT	DESERT	DESERT	DESERT	DESERT	DESERT	DESERT	DESERT	DESERT
Model	**Wintry Deluxe i**	**Wintry Deluxe**	**Wintry i**	**Wintry**	**Glacial Deluxe i**	**Glacial Deluxe**	**Glacial i**	**Glacial**	**Arctic DC 70**	**Arctic DC 50**
Model No	WHR75	WHK75	WHR55	WHK55	GHR75	GHK75	GHR55	GHK55	DCHK70	DCHK50
For Area upto (Sq.m/Sq.ft)	85/900	85/900	85/900	85/900	85/900	85/900	85/900	85/900	85/900	85/900
Air Throw Distance (ft)	55	55	55	55	55	55	55	55	55	55
Blower/Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan
Blower/Fan Diameter (Inch)	16	16	16	16	16	16	16	16	16	16
Speed Control	Three	Three	Three	Three	Three	Three	Three	Three	Three	Three
Motor RPM.	1350	1350	1350	1350	1350	1350	1350	1350	1350	1350
Air Delivery (m3/hr.)	4700	4700	4700	4700	4700	4700	4700	4700	4700	4700
Wattage (W) (230v/50Hz)	175	175	175	175	175	175	175	175	175	175
Max Current (Amp) (230v/50Hz)	0.75 Amp	0.75 Amp	0.75 Amp	0.75 Amp	0.75 Amp	0.75 Amp	0.75 Amp	0.75 Amp	0.75 Amp	0.75 Amp
Pump Thermal Overload Protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tank Capacity (Ltr.)	75 Ltr.	75 Ltr.	55 Ltr.	55 Ltr.	75 Ltr.	75 Ltr.	55 Ltr.	55 Ltr.	70 Ltr.	50 Ltr.
Remote Control	Yes	No	Yes	No	Yes	No	Yes	No	No	No
LCD Display	Yes	No	Yes	No	Yes	No	Yes	No	No	No
Timer	Yes	No	Yes	No	Yes	No	Yes	No	No	No
Water Saver	Yes	No	Yes	No	Yes	No	Yes	No	No	No
Louvers Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Ice Chamber/Water Inlet Door	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Castors/Trolley	Castors	Castors	Castors	Castors	Castors	Castors	Castors	Castors	Castors	Castors
Mosquito/Dust Filter	No	No	No	No	No	No	No	No	No	No
Empty Tank Alarm	Yes	No	Yes	No	Yes	No	Yes	No	No	No
Cooling Media (Honey Comb Pads)	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb	H_2C Honey Comb
Water Level Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Drain Plug	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Work on Invertor	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Motor Type	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v	AC 220v~240v
Product Length (mm)	600	600	600	600	600	600	600	600	595	595
Product Width (mm)	430	430	430	430	430	430	430	430	455	455
Product Height with Castors (mm)	1275	1275	1100	1100	1275	1275	1100	1100	1055	984
Net Weight (kg) Approx	15.0	15.0	13.0	13.0	15.0	15.0	13.0	13.0	14.0	13.5
Gross Weight (kg) Approx	18.0	18.0	15.5	15.5	18.0	18.0	15.5	15.5	17.5	17.0
Loading (40 HQ)	180	180	225	225	180	180	225	225	164	197

Mango®

RISHIKA INDUSTRIES LTD.

Plot No. 1816, Bhilad Nargol Road, Manda, Umbergaon
Valsad, Gujarat - 396155 INDIA

Toll Free
1800 1200 670

+91 260 2784412

info@mangoappliances.com

For Exports
international@mangoappliances.com

www.mangoappliances.com

+91 88 04 04 88 11

@mango.india



CE SASO ISO