Mango®

Cool Comfort, Fresh Breeze

Bringing Refreshing Solutions
to your every need

MASTER CATALOGUE

Bringing **Cool Comfort** to Every Space

Our Company **Rishika Industries Limited** has 15 years of Experience into Packaging, Plastic Thermoforming, Engineering plastic products. We have **3 Factories** in Western INDIA. Our Manufacturing Facilities are fully equipped with In-House Moulding, Assembly, Testing Laboratory, R&D centre with an Experienced Team of Engineers & Technicians.

Our **Expertise**

Wide Range of **30+ Models** in Air Coolers to meet your Cooling requirements

- **Room** Coolers
- **Personal** Coolers
- **Tower** Coolers
- **Desert** Coolers
- **Commercial** Coolers

Features & Benefits

MANGO is committed to Produce Elegant Quality products. Our Air Coolers offer **Smart Cooling** Options with **Electronic controls** like *Feather touch functions, Water Alarm, 12h Timer & Remote with **H2C** Honey comb pads.* All Models comply with International norms **CE, SABER** etc.

MOTORISED LOUVERS FEATURES

PUMP PROTECTION TECHNOLOGY

SILENT PERFORMANCE

FULLY CLOSED LOUVERS

RUNS AT THE OPERATING COST OF FAN

WORKS ON INVERTER

USE IT OUTSIDE OR INSIDE

DELIVER FRESH AND COOL AIR

Our **Growth**

We have Pan INDIA Network of Distributors and Retailers with an expanding service Network. We have also successfully ventured into the International Markets of **Asia, Middle East & Indian sub-continent**

We belive in Consistent Growth of All our Stakeholders, including our Trade Partners, Distributors & Associates.

Mango®

Cool Comfort, Just for You...

ROOM COOLERS

PUNCH SERIES

PUNCH 20 | PUNCH 40 | PUNCH 60

Mango®

ROOM COOLER

SUITABLE FOR
375
SQ.FT. AREA

Air Delivery
3500
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS
- BLUE COOLING PADS (OPTIONAL)

Cool Memories
Together
Mango®

PUNCH 20i | PUNCH 40i | PUNCH 60i

Mango®

ROOM COOLER

SUITABLE FOR
375
SQ.FT. AREA

Air Delivery
3500
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS
- EMPTY TANK ALARM
- SENSOR TOUCH DIGITAL CONTROL PANEL
- INTELLIGENT REMOTE
- 12h TIMER
- BLUE COOLING PADS (OPTIONAL)

Cherishing
Cool Moments

NEXON 20 | NEXON 40 | NEXON 60

Mango®

ROOM COOLER

SUITABLE FOR
375
SQ.FT. AREA

Air Delivery
3500
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

Note : Graphics / designs are subject to change without any prior notice.

Cool Comfort, Just for You...

PERSONAL COOLERS

ARCTIC PC • COOL MASTER • THUNDER PLUS

ARCTIC PC - 20 | ARCTIC PC - 37 | ARCTIC PC - 55

Mango®

PERSONAL COOLER

SUITABLE FOR
250
SQ.FT. AREA

Air Delivery
1400
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

The **Perfect** Atmosphere

COOL MASTER 25 | COOL MASTER 25i

Mango®

PERSONAL COOLER

SUITABLE FOR
250
SQ.FT. AREA

Air Delivery
1400
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Mango®
Productivity
Meets Comfort
27 °C
Mango®
Thunder Plus I

THUNDER PLUS 35 | THUNDER PLUS 35i

Mango®

PERSONAL COOLER

SUITABLE FOR
250
SQ.FT. AREA

Air Delivery
1400
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Cool Comfort, Just for You...

TOWER COOLERS

ARCTIC TC

ARCTIC TC 15 | ARCTIC TC 25 | ARCTIC TC 40

Mango®

TOWER COOLER

SUITABLE FOR
250
SQ.FT. AREA

Air Delivery
1400
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

MAGNUM TF

TOWER FAN



SUITABLE FOR
215
SQ.FT. AREA

Air Delivery
1200
M^3/HR

- POWERFUL AIR THROW WITH AUTO-SWING
- SILENT PERFORMANCE
- WORKS ON INVERTER

MINI FASTER 16

TOWER COOLER FAN

SUITABLE FOR
215
SQ.FT. AREA

Air Delivery
1200
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- WORKS ON INVERTER
- CASTOR WHEELS
- POWERFUL AIR THROW WITH AUTO-SWING

CHOTA BHEEM 18

SUITABLE FOR
250
SQ.FT. AREA

SUITABLE FOR
2200
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

Cool Breeze
Anywhere

WINTRY DELUXE 75 | WINTRY DELUXE 75i

Mango®

DESERT COOLER

SUITABLE FOR
900
SQ.FT. AREA

Air Delivery
4700
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Enjoy Your
Moments
Mango®
Mango
Wintry I

WINTRY 55 | WINTRY 55i

Mango®

DESERT COOLER

SUITABLE FOR
900
SQ.FT. AREA

Air Delivery
4700
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Garden Cooling
with Mango

GLACIAL DELUXE 75 | GLACIAL DELUXE 75i

Mango®

DESERT COOLER

SUITABLE FOR
900
SQ.FT. AREA

Air Delivery
4700
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Enjoying
Togetherness

GLACIAL 55 | GLACIAL 55i

Mango®

DESERT COOLER

SUITABLE FOR
900
SQ.FT. AREA

Air Delivery
4700
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

- EMPTY TANK ALARM
- INTELLIGENT REMOTE
- SENSOR TOUCH DIGITAL CONTROL PANEL
- 12h TIMER

Cool Comfort
with Family

ARCTIC DC-50 | ARCTIC DC-70

Mango®

DESERT COOLER

SUITABLE FOR
900
SQ.FT. AREA

Air Delivery
4700
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- LARGE TANK CAPACITY
- HIGH EFFICIENCY COOLING PADS
- WORKS ON INVERTER
- CASTOR WHEELS

Your Oasis of
Cool Comfort
Mango®
Cool Comfort, Just for You...
Commercial
Coolers
BHARAT ARMY • ARMY COOL
ARMY FORCE • VAAYU • NAVY COOL
Creating
Moments Together
www.MangoAppliances.com

BHARAT ARMY 100

COMMERCIAL COOLER

SUITABLE FOR
1150
SQ.FT. AREA

SUITABLE FOR
6500
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- OSCILLATING HORIZONTAL LOUVERS
- HIGH EFFICIENCY COOLING PADS
- LOCKABLE HEAVY DUTY CASTOR WHEELS
- LARGE TANK CAPACITY
- 18" INCHES FAN BLADE

Mango®

Relaxation starts with the

perfect breeze

ARMY COOL 120

COMMERCIAL COOLER

SUITABLE FOR
1450
SQ.FT. AREA

SUITABLE FOR
8100
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- FLOAT VALVE FOR AUTO WATER FILLING
- HIGH EFFICIENCY COOLING PADS
- LOCKABLE HEAVY DUTY CASTOR WHEELS
- LARGE TANK CAPACITY
- 20" INCHES FAN BLADE

Mango®

Where coolness meets calm

ARMY FORCE 120

COMMERCIAL COOLER

SUITABLE FOR
1800
SQ.FT. AREA

SUITABLE FOR
12000
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- OSCILLATING HORIZONTAL LOUVERS
- HIGH EFFICIENCY COOLING PADS
- LOCKABLE HEAVY DUTY CASTOR WHEELS
- LARGE TANK CAPACITY
- 22" INCHES FAN BLADE

Mango®

Cool comfort for your

peaceful moments

VAAYU 150 | NAVY COOL 150

Mango®

SUITABLE FOR
2100
SQ.FT. AREA

SUITABLE FOR
16000
M^3/HR

COOLING MEDIUM
HONEY COMB
PADS

COMMERCIAL COOLER

- PUMP PROTECTION TECHNOLOGY
- SILENT PERFORMANCE
- POWERFUL AIR THROW WITH AUTO-SWING
- OSCILLATING HORIZONTAL LOUVERS
- HIGH EFFICIENCY COOLING PADS
- LOCKABLE HEAVY DUTY CASTOR WHEELS
- LARGE TANK CAPACITY
- 28" INCHES FAN BLADE

WARM & RELAXING

Showers with Mango Geyser

HOTIN

GEYSER'S

- Available in 1L/3L/5L
- Power-3kw(1,3,5L) , 4.5kw (1,3L)
- Voltage-230V/50HZ single phase
- Max pressure rating- 6.5 bar
- Rust free Stainless steel Tank
- High glossy and Long life engineering plastic body

Inspired in Italy

Prevents corrosion from hard water

100% copper & ISI marked heating Element

Stem-type thermostat: Automatic temperature control.

Instant heating: Get hot water in no time.

Suitable for high - rise building.

Rust proof: Rust proof outer body prevents corrosion & leaving no room for rust.

3 Level safety from high temperature & high pressure.

Thermal stability device: This double-function feature connected to the thermostat enables energy savings, comfort, and safety.

The high-power heating: Elements ensures you get hot water in no time.

Design in Italy.

Warranty

- 5 Year's On Tank
- 2 Year's On Heating Element
- 2 Year's On Product

Evaporative
Air Cooler

Evaporative Air Cooling is the most efficient and Environment-friendly cooling technology which works on the **PRINCIPAL OF HEAT ABSORPTION** by water evaporation created by mist.

In this process,
COOL AIR is delivered from
MANGO Air Coolers.



Tailoring **Cooling Solutions** to Fit Your Needs

• Choose Right Tank Capacity •

Room Type	Small	Medium	Large	Extra Large
Size	150sqft	300sqft	600sqft	>1000sqft
Recommended Capacity	15ltr	25ltr	40-55 Ltr.	75-120 ltr

• Choose Right Cooler Type •

Features	Personal/Tower Cooler	Desert Cooler
Usage	Personal / Spot Cooling	Rooms, Outdoors, Terrace, Backyard
Room Size	Small-Mid Size Rooms	Medium-Large Rooms
Climate Condition	Humid Areas	Dry Areas
Ideal for Temp.	30-40 Degrees	35 - Above 50 Degrees

© 2024, M/s. Rishika Industries Limited. All rights reserved. The exclusive patterns and models featured in this catalogue are protected under copyright law.

TECHNICAL SPECIFICATION

Air Cooler Category	ROOM	ROOM	ROOM	PERSONAL	PERSONAL	PERSONAL	PERSONAL	PERSONAL	TOWER
Model	PUNCH 20/40/60	PUNCH 20/40/60i	Nexon 20/40/60	Arctic PC 20/37/55	Cool Master 20	Cool Master 20i	Thunder Plus 35	Thunder Plus 35i	Arctic TC 15/25/40
Model No.	PUR20/40/60	PUK20/40/60	NXK20/40/60	PCHK20/37/55	MHK25	MHR25	THK35	THR35	TCHK15/25/40
For Area upto (Sq.m/Sq.ft)	35/375	35/375	35/375	25/250	25/250	25/250	25/250	25/250	25/250
Air Throw Distance (Ft)	35	35	35	30	30	30	30	30	35
Blower/Fan	FAN	FAN	FAN	Blower	Blower	Blower	Blower	Blower	Blower
Blower/Fan Diameter (inch)	12	12	12	8	8	8	8	8	7
Speed Control	Three	Three	Three	Three	Three	Three	Three	Three	Three
Motor RPM.	2600	2600	2600	1350	1350	1350	1350	1350	1350
Air Delivery (m^3/hr.)	3500	3500	3500	1400	140	140	140	140	1400
Wattage (W) (230V/50HZ)	105	105	105	135	130	130	130	130	150
Max Current (Amp.)(230V/50HZ)	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp	0.5 Amp	0.6 Amp
Pump Thermal Overload Protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tank Capacity	20 / 40 / 60	20 / 40 / 60	20 / 40 / 60	20 / 37 / 55	25	25	35	35	15 / 25 / 40
Remote Control	No	Yes	No	No	No	Yes	No	Yes	No
LCD Display	No	Yes	No	No	No	Yes	No	Yes	No
Timer	No	Yes	No	No	No	Yes	No	Yes	No
Water Saver	No	Yes	No	No	No	Yes	No	Yes	No
Louvers Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Ice Chamber / Water Inlet Door	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Castors / Trolley	Castors	Castors	Castors	Castors	Castors	Castors	Castors	Castors	Castors
Mosquito Net / Dust filter	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
Empty Tank Alarm	No	Yes	No	No	No	Yes	No	Yes	No
Cooling Media	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb
Water Level Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Drain Plug	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Works on Invetor	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Motor Type	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V
Product Length (mm)	480	480	480	465	418	418	418	418	300 / 300 / 315
Product Width (mm)	340	340	340	310	280	280	280	280	315 / 315 /330
Product Height With / Without Castors (mm)	869 / 1019 / 1250	869 / 1019 / 1250	869 / 1019 / 1250	655 / 805 / 1060	825	825	985	985	785 / 870 / 1080
Net Weight (Kg) (Approx)	8.5 / 9.2 / 10.4	8.5 / 9.2 / 10.4	8.5 / 9.2 / 10.4	8.0 / 8.5 / 9.0	8.0	8.0	9.0	9.0	8.0 / 8.3 / 9.2
Gross Weight (Kg) (Approx)	10.0 / 10.8 / 13.0	10.0 / 10.8 / 13.0	10.0 / 10.8 / 13.0	10.0 / 10.5 / 11.2	9.5	9.5	10.8	10.8	9.5 / 9.9 / 11.3
Loading (40 HQ)									
Referance Page No's.	5	7	9	11	13	13	15	15	17

TECHNICAL SPECIFICATION

Air Cooler Category	TOWER FAN	TOWER	PERSONAL	DESERT	DESERT	DESERT	DESERT	DESERT	DESERT
Model	Magnum TF	Mini Faster 16	Chota Bheem 18	Wintry Deluxe 75	Wintry Deluxe 75i	Wintry 55	Wintry 55i	Glacial Deluxe 75	Glacial Deluxe 75i
Model No.	MTF01	MHK16	CBK18	WHK75	WHR75	WHK55	WHR55	GHK75	GHR75
For Area upto (Sq.m/Sq.ft)	20/215	20/215	23/250	85/900	85/900	85/900	85/900	85/900	85/900
Air Throw Distance (Ft)	20	25	25	55	55	55	55	55	55
Blower/Fan	Blower	Blower	Fan	Fan	Fan	Fan	Fan	Fan	Fan
Blower/Fan Diameter (inch)	6	4	9	16	16	16	16	16	16
Speed Control	Three	Three	Three	Three	Three	Three	Three	Three	Three
Motor RPM.	1350	2600	2600	1350	1350	1350	1350	1350	1350
Air Delivery (m^3/hr.)	1200	1200	2200	4700	4700	4700	4700	4700	4700
Wattage (W) (230V/50HZ)	130	175	105	175	175	175	175	175	175
Max Current (Amp.)(230V/50HZ)	0.5 Amp	0.75 Amp	0.5 Amp	0.75 Amp	0.75 Amp	0.75 Amp	0.75 Amp	0.75 Amp	0.75 Amp
Pump Thermal Overload Protection	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tank Capacity	No	16	18	75	75	55	55	75	75
Remote Control	No	No	No	No	Yes	No	Yes	No	Yes
LCD Display	No	No	No	No	Yes	No	Yes	No	Yes
Timer	No	No	No	No	Yes	No	Yes	No	Yes
Water Saver	No	No	No	No	Yes	No	Yes	No	Yes
Louvers Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Ice Chamber / Water Inlet Door	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
Castors / Trolley	No	Castors	Castors	Castors	Castors	Castors	Castors	Castors	Castors
Mosquito Net / Dust filter	No	No	No	No	No	No	No	No	No
Empty Tank Alarm	No	No	No	No	Yes	No	Yes	No	Yes
Cooling Media	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb
Water Level Indicator	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Drain Plug	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Works on Invetor	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Motor Type	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V
Product Length (mm)	325	250	380	600	600	600	600	600	600
Product Width (mm)	250	230	305	430	430	430	430	430	430
Product Height With / Without Castors (mm)	750	840	660	1275	1275	1100	1100	1275	1275
Net Weight (Kg) (Approx)	5.5	5.0	7.5	15.0	15.0	13.0	13.0	15.0	15.0
Gross Weight (Kg) (Approx)	7.0	6.3	8.7	18.0	18.0	15.5	15.5	18.0	18.0
Loading (40 HQ)									
Referance Page No's.	18	18	19	21	21	23	23	25	25

TECHNICAL SPECIFICATION

Air Cooler Category	DESERT	DESERT	DESERT	DESERT	COMMERCIAL	COMMERCIAL	COMMERCIAL	COMMERCIAL	COMMERCIAL
Model	Glacial 55	Glacial 55i	Arctic DC 50	Arctic DC 70	Bharat Army 100	Army Cool 120	Army Force 120	Vaayu 150	Navy Cool 150
Model No.	GHK55	GHR55	DCHK50	DCHK70	BAK120	ACHK120	AFK120	VAK150	NCK150
For Area upto (Sq.m/Sq.ft)	85/900	85/900	85/900	85/900	108/1150	135/1450	165/1800	195/2100	195/2100
Air Throw Distance (Ft)	55	55	55	55	65	65	65	65	65
Blower/Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan
Blower/Fan Diameter (inch)	16	16	16	16	18	20	22	28	28
Speed Control	Three	Three	Three	Three	Three	Three	Three	Three	Three
Motor RPM.	1350	1350	1350	1350	1350	1350	1350	950	950
Air Delivery (m^3/hr.)	4700	4700	4700	4700	6500	8100	12000	16000	16000
Wattage (W) (230V/50HZ)	175	175	175	175	230	375	450	500	500
Max Current (Amp.)(230V/50HZ)	0.75 Amp	0.75 Amp	0.75 Amp	0.75 Amp	1.0 Amp	1.75 Amp	2.0 Amp	2.5 Amp	2.5 Amp
Pump Thermal Overload Protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tank Capacity	55	55	50	70	100	120	120	150	150
Remote Control	No	Yes	No	No	No	No	No	No	No
LCD Display	No	Yes	No	No	No	No	No	No	No
Timer	No	Yes	No	No	No	No	No	No	No
Water Saver	No	Yes	No	No	No	No	No	No	No
Louvers Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	No
Ice Chamber / Water Inlet Door	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Castors / Trolley	Castors	Castors	Castors	Castors	Castors	Castors	Castors	Castors	Castors
Mosquito Net / Dust filter	No	No	No	No	No	No	No	No	No
Empty Tank Alarm	No	Yes	No	No	No	No	No	No	No
Cooling Media	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb	H_2C Honeycomb
Water Level Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Drain Plug	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Works on Invetor	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Motor Type	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V	AC 220~240 V
Product Length (mm)	600	600	595	595	700	830	830	1030	1030
Product Width (mm)	430	430	455	455	505	600	525	630	630
Product Height With / Without Castors (mm)	1100	1100	984	1055	1450	1510	1520	1800	1800
Net Weight (Kg) (Approx)	13.0	13.0	13.5	14.0	21.0	22.3	23.3	44.7	45.0
Gross Weight (Kg) (Approx)	15.5	15.5	17.0	17.5	22.7	25.5	26.5	-	-
Loading (40 HQ)									
Referance Page No's.	27	27	29	29	31	33	35	37	37

RISHIKA INDUSTRIES LIMITED

Plot No. 1816, Bhilad Nargol Road, Manda, Umbergaon
Dist - Valsad, Gujarat - 396155, IN.

Toll Free
1800 1200 670

+91 88 04 04 88 11 / 22

info@mangoappliances.com

For Exports
international@mangoappliances.com

www.MangoAppliances.com @mango.india